


DOCKET NUMBER: 214910US6/pmh



Receipt

#4
BH

6/10/02

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:
Juha TELIMAA, et al.

: GROUP: 1743

SERIAL NUMBER: 09/973,730

: ATTENTION:
Application Division
Customer Corrections

FILED: OCTOBER 11, 2001

FOR: ADJUSTABLE PIPETTE

REQUEST FOR CORRECTED OFFICIAL FILING RECEIPT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

The Patent Office is requested to provide a corrected Official Filing Receipt for the attached. If you have any questions, please do not hesitate to contact us.

No fees are required. However, in the event that a fee is required, please charge the appropriate amount to our Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND
MAIER & NEUSTADT, P.C.

Gregory J. Maier
Attorney of Record
Registration Number 25,599

RECEIVED
MAY 06 2002
TC 1700

Surinder Sachar
Registration No. 34,423



22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 10/98)



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FILE REC'D	ATTY. DOCKET NO.	DRAWINGS	TOT CLAIMS	IND CLAIMS
09/973,730	10/11/2001	1743	740	214910US6	3	15	1


22850
OBLON SPIVAK MCCLELLAND MAIER & NEUSTADT PC
FOURTH FLOOR
1755 JEFFERSON DAVIS HIGHWAY
ARLINGTON, VA 22202

CONFIRMATION NO. 6056

REPLACEMENT FILING RECEIPT



OC000000007962842



Date Mailed: 04/25/2002

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Juha Telimaa, Jarvenpaa, FINLAND;
Tapani Pullinen, Hyvinkaa, FINLAND;
Vesa Salo, Rajamaki, FINLAND;
Mauno Heinonen, Vantaa, FINLAND;

Assignment For Published Patent Application

THERMO LABSYSTEMS OY, Helsinki, FINLAND;

Domestic Priority data as claimed by applicant

Foreign Applications

FINLAND 20002241 10/11/2000

If Required, Foreign Filing License Granted 11/08/2001

Projected Publication Date: Not Applicable

Non-Publication Request: No

Early Publication Request: No

Title

Adjustable pipette

Preliminary Class

422

PLEASE NOTE THAT THE ASSIGNMENT FOR PUBLISHED PATENT APPLICATION INFORMATION IS INCORRECT. IT SHOULD READ AS FOLLOWS:

THERMO LABSYSTEMS OY, HELSINKI, FINLAND

RECEIVED
MAY 06 2002
TC 1700